AUTHOR INDEX

Abraham, H.D., 44
Adak, B., 226
Adamopoulou, A., 299
Adès, J., 51
Adityanjee, 89
Ağargün, M.Y., 226
Aigner, M., 353
Akyüz, G., 151
Allen, J.G., 160
Amering, M., 35
Anderson, C.M., 221
Ashurst, J., 308

Bach, M., 353
Bagnato, M., 72
Bankier, B., 35
Barak, Y., 320
Bechtel, R.J., 308
Bejerot, S., 268
Belton, J., 198
Beltran, R.O., 396
Benazzi, F., 80, 418
Benkert, O., 449
Berger, P., 35
Berrios, G.E., 115, 478
Blanco, C., 238
Bogenschutz, M.P., 61
Bourgeois, M.L., 462
Bovasso, G., 469
Braun, D.L., 442
Breteler, M.H. M., 283
Brown, C., 332

Chopra, M.P., 19
Comparelli, A., 253
Console, D.A., 160
Cruysberg, J.R., 315
Cusin, C., 143, 358

Daniels, B.A., 386
DeQuardo, J.R., 458
Dhossche, D.M., 343
Dimitriou, E., 299
Doğan, O., 151
Donati, D., 72
Donias, S., 299
Donovan, D.M., 216
Dornelas, E.A., 192
Droney, T., 148

Eaton, W., 469
Eckert, E.D., 229
Ercan, M., 226
Evanson, D., 229

Faris, P.L., 229
Faulkner, C.J., 429
Fava, M., 44
Favaro, A., 57
Favilla, L., 210
Fehon, D.C., 422
Feldman-Naim, S., 234
Ferri, S., 126
Fichter, M.M., 203
Fornari, V.M., 434, 442
Fossati, A., 72
Francis, G., 429
Franklin, D.L., 308
Fujimoto, K., 337
Fulwiler, C., 96

Galli, V., 85
Garyfallos, G., 299
Gasperini, M., 358
Gay, B., 462
Gelfin, Y., 24
Giouzepas, J., 299
Goethe, J.W., 192
Goldman, M., 458
Gordon, T., 415
Gorfine, M., 24
Gottschalk, L.A., 308
Grapentine, W.L., 429
Grassi, L., 126
Griengl, H., 35
Grilo, C.M., 422
Gruber, A.J., 273
Gruman, C., 192
Güneş, A., 226
Gupta, S., 148

Haberman, N., 51
Halligan, P., 332
Halmi, K.A., 332, 442
Hamalainen, M., 229
Harcourt, L., 386
Hardin, T.A., 415
Hartman, B.K., 229
Hatzitaskos, P., 278
Hayashi, N., 377
Heikkinen, M.E., 101
Henriksson, M.M., 101
Hiller, W., 203
Ho, L., 478
Hoefnagels, W.H., 315
Humble, M., 268

Igarashi, Y., 377
Ikonomidis, N., 299
Inoue, S., 372
Isometsä, E.T., 101
Iwasaki, Y., 337
Izumoto, Y., 372

Jain, U.R., 261
Jibson, M., 458
Johnson, J.G., 31
Joukamaa, M., 292
Jyväsjärvi, S., 292

Kan, C.C., 283
Kara, H., 226
Karastergiou, A., 299
Katschnig, H., 35
Katz, J.L., 434
Katzman, M.A., 261
Kay, J., 89
Kazama, Y., 108
Keck, P.E., Jr., 85
Keel, J., 415
Keinänen-Kiukaanniemi, S., 292
Keller, P., 148
Kijima, N., 108
Kirby, K.C., 386
Kiriike, N., 337
Kishi, Y., 372
Kitamura, T., 108
Kivelä, S.-L., 292
Kizer, D., 85
Kodama, K., 39
Kokkevi, A., 278
Komatsu, N., 39
Korn, S., 332
Kramer, B.A., 327
Kuin, Y., 315
Kutzuk, D., 320
Kyser, A., 148

Lam, G., 234
Larivaara, P., 292
Lattuada, E., 143, 358
Lebensohn, J.M., 173
Leibbrand, R., 203
Lejoyeux, M., 51
Lerer, B., 24
Levitan, R.D., 261
Lewis, L., 160
Lipschitz, D.S., 347, 422
Lipsitz, J.D., 31
Lönnqvist, J.K., 101

McConville, B.J., 85
McConville, S.B., 131
McCormick, R., 198
McElroy, S.L., 85
McFall, M.E., 216
McGlashan, T.H., 422
McGorry, P.D., 131
Maffei, C., 72
Maguire, G.A., 308
Mancinelli, I., 253
Mandel, F.S., 434
Martino, S., 422
Marttunen, M.J., 101
Masi, G., 210
Matsui, T., 337
Matsunaga, H., 337
Matthews, J.R., 234
Matthews, M., 434
Mattia, J.I., 182, 245

Maurice-Tison, S., 462
Melamed, Y., 391
Mendlewicz, J., 24
Mino, Y., 372
Miyata, A., 337
Mucci, M., 210
Müller, M.J., 449
Mundt, C., 4

Namia, C., 72
Naor, S., 320
Neuhaus, I.M., 234
Newmark, N., 89
Noda, S., 39
Novella, L., 72
Nurnberg, H.G., 61

Okada, S., 39
Osher, Y., 24

Pallanti, S., 363
Pavanati, M., 126
Pazzagli, A., 363
Peron, L., 126
Pirkola, S.P., 101
Poli, P., 210
Polidori, G., 253
Pope, H.G., Jr., 273
Prakash, S.S., 19

Quercioli, L., 363

Rabkin, J.G., 31
Raguram, R., 19
Ramirez, L.F., 198
Raskind, M., 216
Raute, N., 85
Raymond, N.C., 229
Remien, R.H., 31
Riley, G.D., 308
Romano, A.J., 386
Romano, R., 210
Rosenthal, N.E., 234, 415
Ruiz, J.S., 238
Ruthazer, R., 96

Sajatovic, M., 198
Sakamoto, S., 108
Sakamoto, T., 39
Salamon, R., 462
Sandberg, D., 434
Sanislow, C.A., 422
Santonastaso, P., 57
Şar, V., 151
Sato, T., 39
Schiffer, F., 221
Schwartz, P.J., 234
Serretti, A., 143, 358
Shapira, B., 24
Shen, W.W., 407
Shimodera, S., 372
Shinoda, N., 39
Sierra, M., 115
Sigmund, D., 4
Silove, D., 396
Smeraldi, E., 143, 358
Soldatos, C.R., 278
Solomon, J., 51
Souery, D., 24
Soutullo, C.A., 85
Stefanis, C.N., 278
Sunday, S.R., 332, 442
Suzuki, N., 108
Szegedi, A., 449
Szor, H., 391

Taggi, F., 253
Takahashi, T., 39
Talavera, J.A., 238
Tanaka, S., 372
Tandon, R., 458
Tatarelli, R., 253
Taylor, S.F., 458
Teicher, M.H., 221
Tekeoğlu, I., 226
Teunisse, R.J., 315
Thuras, P.D., 229
Timmermans, E.A. Y., 283
Tomoda, A., 108
Toro, M.G., 238
Turner, E.H., 234
Tutkun, H., 151

Väisänen, E., 292
Van der Ven, A.H. G.S., 283
Van Os, J., 462
Verbeek, A.L., 315
Verdoux, H., 462
Voikli, M., 299

Wagle, A.C., 478
Weizman, A., 320
Wetzel, H., 449
Williams, J.B. W., 31
Windhaber, J., 35
Winegar, R.K., 347
Wiseman, C.V., 332
Wittenberg, N., 320
Wlodarczyk-Bisaga, K., 434
Woodbury, M.A., 61
Wright, P.W., 216

Yamanouchi, N., 39
Yamashina, M., 377
Yargıç, L., 151

Zimmerman, M., 182, 245
Zislin, J., 24
Zitman, F.G., 283, 315

SUBJECT INDEX

ABPS (Awareness of Being a Patient Scale), relevance of, to insight of schizophrenics into their illness, 377-385
Abuse
  and diagnosis of axis I disorders in adolescent child molesters, 85-88
  in DID patients, 158
  see also Adolescent inpatients, abused
Accident proneness, CFQ measure of, 480
Accuracy of flashbacks, 119-120
Acute psychotic episode, insight fluctuation within, 133
Acute psychotic disorders, dimensions of depression in, 449-457
Adaptation, flashbulb memories and, 118
ADHD (attention-deficit hyperactivity disorder), residual, SAD symptoms with, in adults, 261-267
Adherence to medication, *see* Compliance
Adjustment, self-esteem and social, in remitted unipolar and bipolar depressive patients, 24-30
Adolescent(s)
  as child molesters, diagnosis of axis I disorders in, 85-88
  with GAD, comorbidity and symptomatology of, 210-215
  see also Adolescent inpatients
Adolescent inpatients
  female, with and without BPD, compared, 429-433
  see also Adolescent inpatients, abused
Adolescent inpatients, abused
  agreement between clinician reports, medical records, and self-reports of maltreatment and witnessed home violence by, 347-352
  suicide risk and, 422-428
Adverse effects
  of clozapine, 323

Adverse effects (*Continued*)
see also Side effects *and specific drugs*
Affect
LVF stimulation inducing changes in EEG, bilateral ear temperature and, 221-225
structural deformations of, as axial syndrome in core schizophrenia, 13
see also Affective disorders; Emotion(s)
Affective disorders
eating disorders with, 334
seasonal, *see* Seasonal affective disorder
see also specific disorders
Age
of abused adolescents, 350, 423
of AN patients, 435
of BN patients, 58, 435
of BPD patients with Axis I disorder comorbidity, 247
of childhood conduct disorder patients, 98
and comorbidity diagnosis, 185
of depressed patients, *see* Age of depressed patients
of DID patients, 153, 156
of ED patients with OCD, 338
of elderly patients, clozapine tolerability and, 323
of inpatients with at-risk behavior for HIV infection, 127
of NMS patients, 20, 21
of panic disorder patients, 40, 41
of PD patients, 63
of primary health care attenders, 294
of PSD suicide victims, 102-103, 105
of residual ADHD patients with SAD symptoms, 263, 264
of SAD patients, 416
of schizophrenics, *see* Age of schizophrenics
of somatoform disorder patients, 205, 300
Age of depressed patients
with atypical depression, 81
with delusional and nondelusional depression, 360
of depressed compulsive and/or noncompulsive buyers, 53
with unipolar and bipolar depression, 25, 26, 429
Age of schizophrenics
and FMMS in their families, 373
an insight into their illness, 379
P300 abnormalities and, 366
Aggression, substance abuse and, in ER patients, 343-348
Agoraphobia, behavior analysis of computer-administered vicarious exposure of patients with, 386-390
Akinetic syndrome, simple, 11-12
Alcohol use
as premorbid risk factor for violence, 96-100
by young Japanese women, personality and early life experiences as correlates of, 108-114
Alexithymia, hypochondrial beliefs, psychological distress and, among primary health care attenders, 292-298
Amnesia, reversible dissociative, 161-162; *see also* Dissociative detachment, memory impairment and
AN, *see* Anorexia nervosa, comorbidity with
Anabolic drug use, compulsive weight lifting and, among women rape victims, 273-277
Anesthesia, development of agents to potentiate, and antipsychotic drug development, 408-409
Anger, multidimensional assessment of, in PTSD Vietnam veterans, 216-220
Anorexia nervosa (AN), comorbidity with, 332-342
depressive symptoms as, 434-441
OCD as, in Japanese women, 337-342
SUDs as, order of onset of illness and, 332-336
Antidepressant therapy, antiparkinsonian and, 239-241
chaos theory-inspired explanation of coincidences between, 240-241
comparative analysis of, 239-241
Anti-electroconvulsive therapy (ECT) prejudices, overcoming, 180-181
Antihistamines, search for, leading to development of antipsychotics, 407
Antimalarial drugs, search for, leading to development of antipsychotics, 408
Antiparkinsonian therapy, *see* Antidepressant therapy, antiparkinsonian and
Antipsychiatry movement, ECT and, 179-181
dealing with ECT, 180-181
origins of movement, 179-180
Antipsychotic(s)
adherence to, insight and, 136
clozapine as, *see* Clozapine
development of, *see* Antipsychotic drug development, history of
male and female suicide victims dependent on, compared, 101-107
NMS and, 19-23
risperidone as, *see* Risperidone
selegiline with, for negative symptoms of schizophrenia, 148-150
for unipolar and bipolar depression, 25
Antipsychotic drug development, history of, 407-414
of atypical drugs, 409-410
chronology of, 411
clinical characteristics of, 410-411
of clozapine, 409
and development of agents to potentiate anesthesia, 408-409
EPS symptoms and, 409
future, or not available in US, 411
introduction of, 409
search for antihistamines leading to, 408
search for antimalarial drugs leading, 407
Antisocial personality disorder (ASD), hostility in male patients with, SUDs and, 278-282
Anxiety and anxiety disorders, comorbidity with, 203-215
eating disorders, 334
effects of, on outcome of somatoform disorder therapy, 203-209
and symptomatology of GAD in children and adolescents, 210-215
Anxiety syndrome, paranoid-hallucinatory, 6-7
Arrhythmias, cardiac, *see* Chaos theories, and therapeutic commonalities among depression, Parkinson's disease, and cardiac arrhythmias
ASD (antisocial personality disorder), hostility in male patients with, SUDs and, 278-282
At-risk behavior for HIV infection by inpatients, 126-130
Attention
CFQ measure of, 479
narrowing of, versus consciousness alteration in dissociative detachment, 163

Attention-deficit hyperactivity disorder (ADHD), residual, SAD symptoms with, in adults, 261-267
Atypical antipsychotic drugs, development of, 409-410
Atypical depression in private practice outpatients, 80-83
Awareness of Being a Patient Scale (ABPS), relevance of, to insight of schizophrenics into their illness, 377-385
Axial syndrome(s) of core schizophrenia, 12-15
  structurally deformed emotional expression and affect as, 13
  structurally deformed movements as, 15
  structurally deformed thought as, 13-15
Axial syndrome(s) of cycloid schizophrenia, 6-12
  excited thematic confusion syndrome as, 9-10
  inhibited thematic confusion syndrome as, 10-11
  paranoid-hallucinatory anxiety syndrome as, 6-7
  paranoid-hallucinatory happiness syndrome as, 7-9
  simple akinetic syndrome, 11-12
  simple hyperkinetic syndrome, 11
Axis I disorders
  DSM-IV, 187, 248, 249
  see also Axis I disorders, comorbidity with
Axis I disorders, comorbidity with
  BPD, 245-252
  DSM-IV, 187
  in male adolescent child molesters, 85-88
  in PDs, 63
  in PSD suicide victims, 103-105
  somatoform disorders, 301
Axis II disorders, comorbidity with
  PDs, 63
  in PSD suicide victims, 103-105
Axis III disorders, comorbidity with, in PSD suicide victims, 103-105

Beliefs, hypochondrial, alexithymia, psychological distress and, among primary health care attenders, 292-298
Benzodiazepine Dependence Self-Report Questionnaire in outpatient BZD users, validity, scalability, and reliability of, 283-291
Bilateral ear temperature, changes in EEG, affect and, induced by LVF stimulation, 221-225
Bilateral electroconvulsive therapy (ECT), unilateral versus, 330
Binge, frequency of winter, in BN, bright light therapy effects on, 442-448
Biological counterpart to dissociative detachment, 166-167
Bipolar depression
  social adjustment and self-esteem in remitted patients with unipolar, 24-30
  see also Bipolar II depression
Bipolar II depression
  atypical, in private practice outpatients, 80-83
  chronic unipolar depression versus, 418-421
BN, *see* Bulimia nervosa
Body memories, pain hallucinations and, 121-122
Borderline personality disorder (BPD)
  DSM-IV criteria for, latent structure analysis of, 72-79
  see also Borderline personality disorder, comorbidity with
Borderline personality disorder (BPD), comorbidity with
  Axis I disorders as, 245-252
  in female adolescent inpatients, 429-433
Borderline personality disorder (BPD), comorbidity with (*Continued*)
  SUDs and hostility as, in male patients, 278-282
BPD, *see* Borderline personality disorder
Brain, as nonlinear dynamic system, 238
Bright light therapy, effects of, on winter binge frequency in BN, 442-448
Bulimia nervosa (BN)
  bright light therapy effects on frequency of winter binge in, 442-448 442-448
  pain threshold during bulimic episode, 229-233
  see also Bulimia nervosa, comorbidity with
Bulimia nervosa (BN), comorbidity with, 332-342
  compulsive SIB as, 57-60
  depressive symptoms as, 434-441
  OCD as, in Japanese women, 337-342
  SUDs as, order of onset of illness and, 332-336
Buying, compulsive, depression with and without, 51-56
BZDs (benzodiazepines), validity, scalability, and reliability of Benzodiazepine Dependence Self-Report Questionnaire in, 283-291

Cardiac arrhythmias, *see* Chaos theories, and therapeutic commonalities among depression, Parkinson's disease, and cardiac arrhythmias
Catastrophic experiences, *see* Trauma
CBS (Charles Bonnet syndrome), visually handicapped elderly patients with, social and psychological characteristics of, 325-329
Central nervous system (CNS), interaction between informational and modulating subsystems of, and coupling of neurons, 238-239
CFQ (Cognitive Failures Questionnaire), 478-484
Chaos theories, and therapeutic commonalities among depression, Parkinson's disease, and cardiac arrhythmias, 238-244
  antidepressant and antiparkinsonian treatments, *see* Antidepressant therapy, antiparkinsonian and
  brain and heart as nonlinear dynamic systems and, 238
  interaction between CNS informational and modulating subsystems as basic to coupling of neurons and, 238-239
  isomorphism with therapeutic strategies used in cardiac arrhythmias, 241
  summary and conclusions on, 241-242
Charles Bonnet syndrome (CBS), visually handicapped elderly patients with, social and psychological characteristics of, 325-329
Child abuse, *see* Abuse
Childhood conduct disorder, as premorbid risk factor for violence, 96-100
Childhood experiences, *see* Early life experiences
Children
  comorbid GAD in, symptomatology and, 210-215
  see also Abuse; Childhood conduct disorder; Early life experiences; Families
Chronic pain patients, DSM-IV diagnosis in, 354
Chronic unipolar depression, bipolar II depression versus, 418-421
Chronology of antipsychotic drug development, 411
Cigarette smoking, *see* Tobacco smoking, comorbidity with
Clinical applications of CFQ, 480

Clinical features and presentation
of depression with or without compulsive behavior, 51-56
of flashbulb memories, 116-117
of impaired insight in psychosis, 135-136
of pseudologia fantastica, 90
see also specific conditions
Clinical interviews with DID patients, 155-156
Clinical problems with ECT, 329, 330
Clinical properties of antipsychotic drugs, 410-411
Clinician reports, agreement between medical reports, self-reports of abuse and witnessed home violence by hospitalized adolescents and, 347-352
Clozapine
introduction of, 409
tolerability, safety, and efficacy of, in elderly patients, 320-325
CNS (central nervous system), interaction between informational and modulating subsystems of, and coupling of neurons, 238-239
Cognitive Failures Questionnaire (CFQ), 478-484
Cognitive models of impaired insight in psychosis, 138-139
Comorbidity, *see* Psychopathological comorbidity
Compliance
with antipsychotics, impaired insight in psychosis and, 136
coping with noncompliance by physicians, 391-395
by elderly patients with clozapine medication, 323
Compulsive buying (onomania), depression with or without, 51-56
Compulsive disorder, *see* Obsessive-compulsive disorder, comorbidity with
Compulsive self-injurious behavior (SIB) in BN, 57-60
Compulsive weight lifting, anabolic drug use and, among women rape victims, 273-277
Computer-administered vicarious exposure of agoraphobic patients, behavior analysis of, 386-390
Concurrent validity of ABPS, 380-381
Conduct disorders, *see* Problem behaviors and disorders
Confabulations, pseudologia fantastica versus, 92
Confusion, *see* Thematic confusion syndrome
Consciousness, alteration of, versus narrowing of attention in dissociative detachment, 163
Content analysis of speech, neuropsychiatric features of stuttering measured by, 308-314
Content dissociation, memory impairment and, 163
Context dissociation
content versus, 163
and encoding memory failures, 165
Coping
with noncompliance by physicians, 391-395
by visually handicapped elderly patients with CBS, 317
Core schizophrenia, *see* Cycloid schizophrenia, phenomenological approach to differentiating between core and
Coupling of neurons, interaction between CNS informational and modulating subsystems and, 238-239
Course, posthospitalization, and service utilization, 193-194
Cross-cultural validity of CFQ, 480
Cycloid schizophrenia, phenomenological approach to differentiating between core and, 4-18
axial syndromes in, *see* Axial syndrome(s) of core schizophrenia; Axial syndrome(s) of cycloid schizophrenia
discussion and conclusions on, 16
Cycloid schizophrenia, phenomenological approach to differentiating between core and, 4-18 (*Continued*)
heterogeneity of schizophrenia and, 4-5

DA (dissociative amnesia), reversible, 161-162
Declarative memory, nondeclarative versus, 160-161
Deformed emotional expression (EE) and affect, structurally, in core schizophrenia, 13
Deformed movements, structurally, in core schizophrenia, 15
Deformed thought, structurally, in core schizophrenia, 13-15
Delusion(s), pseudologia fantastica versus, 92
Delusional (psychotic) depression, features of, 358-362
Delusional disorder, factor analysis of symptoms of, 143-147
Delusional memories, pseudologia fantastica versus, 92
Demographic characteristics
of severely mentally ill patients on risperidone therapy, 200, 201
see also Age; Educational status; Employment status; Income; Marital status; Occupational status; Race and ethnicity; Sex
Denial, and impaired insight in psychosis, 137-138
Depression
psychotic and nonpsychotic, features of, 358-362
social adjustment and self-esteem in remitted patients, 24-30
see also Bipolar depression; Chaos theories, and therapeutic commonalities among depression, Parkinson's disease, and cardiac arrhythmias; Depression, comorbid conditions with; Electroconvulsive therapy; Outpatients, depression in; Unipolar depression
Depression, comorbid conditions with, 44-51
with or without compulsive behavior, 51-56
depressive symptoms in AN or BN, 434-441
proneness to psychotic disorders and incidence of, 462-468
with SUDs, order of onset of, 44-50
see also Major depression, comorbidity with
Descriptive issues in pseudologia fantastica, 89
Detachment, dissociative, *see* Dissociative detachment, memory impairment and
Developmental history of pseudologia fantastica patients, 91
Diagnosis
comorbidity, 182-191
compulsive buying, 52
dissociative detachment, 167-168
excited thematic confusion syndrome, 10
inhibited thematic confusion syndrome, 11
NMS, 20
paranoid-hallucinatory anxiety syndrome, 7
paranoid-hallucinatory happiness syndrome, 8
pseudologia fantastica, *see* Diagnosis, pseudologia fantastica
of psychosis, impaired insight and, 135
simple akinetic syndrome, 12
simple hyperkinetic syndrome, 11
see also International Classification of Diseases-10 *entries beginning with acronym*: DSM- *term*: Axis *and specific conditions*
Diagnosis, pseudologia fantastica, 89
differential, 93
DID (dissociative identity disorder; multiple personality disorder), frequency of, in general Turkish population, 151-159
Didactic model for teaching ECT, 328-330

Differential diagnosis of pseudologia fantastica, 93
Differentiation between core and cycloid schizophrenia, *see* Cycloid schizophrenia, phenomenological approach to differentiating between core and
Discharge, service utilization following, 194
Discontinuation of clozapine by elderly patients, 323
Discriminant value of ABPS, 381-382
Dissociative amnesia (DA), reversible, 161-162
Dissociative detachment, memory impairment and, 160-171
  consciousness alteration versus narrowing of attention in, 163
  content dissociation in, 163
  context dissociation in, *see* Context dissociation
  degrees of, 163
  diagnosis of, 167-168
  neurophysiological contributions to, 165-167
  patient education for, 168
  psychotherapy for, 168-169
  research implications of, 169
  reversible DA and, 161-162
  types and stages of memory and, 160-161
Dissociative identity disorder (DID; multiple personality disorder), frequency of, in general Turkish population, 151-159
Distress, psychological, hypochondrial beliefs, alexithymia and, among primary health care attenders, 292-298
Drinking, *see* Alcohol use
Drug(s), *see* Compliance; Noncompliance *specific drugs and conditions*
Drug dependence, *see* Substance use disorders
Drug therapy, *see* Antipsychotic(s)
DSM-III-R (Diagnostic and Statistical Manual-III-Revised)
  comorbidity of somatoform disorders with disorders in, 299-307
  grade of membership analysis of PD classification in, 61-71
  see also Axis I disorders; Axis II disorders, comorbidity with; Axis III disorders, comorbidity with
DSM-IV (Diagnostic and Statistical Manual-IV)
  Axis I disorders in, 187, 248, 249
  BPD criteria in, latent structure analysis of, 72-79
  factitious disorder criteria in, 94
  pain disorder criteria in, 353-357
  see also Axis I disorders; Axis II disorders, comorbidity with; Axis III disorders, comorbidity with
Dynamic systems, nonlinear, brain and heart as, 238

Ear temperature, bilateral, changes in EEG, affect and, induced by LVF stimulation, 221-225
Early life (childhood) experiences
  personality and, as correlates of problem drinking in young Japanese women, 108-114
  see also Abuse
Eating disorders, *see* Anorexia nervosa, comorbidity with; Bulimia nervosa
ECT, *see* Electroconvulsive therapy
EDs (eating disorders), *see* Anorexia nervosa, comorbidity with; Bulimia nervosa
Education, *see* Educational status; Patient education; Teaching guide; Training
Educational materials for ECT teaching, 329, 330
Educational status
  of abused adolescents, 350
Educational status (*Continued*)
  of AN and BN patients, depressive symptoms and, 435
  of BPD patients with Axis I disorder comorbidity, 247
  and comorbidity diagnosis, 185
  of depressed patients, 27, 360
  of ED patients with OCD, 338
  and premorbid risk factors for violence, 98
  of primary health care attenders, 294
  of somatoform disorder patients, 205, 300
  of visually handicapped elderly patients with CBS, 317
  see also Educational status of schizophrenics
Educational status of schizophrenics
  and insight into their illness, 379
  P300 abnormalities and, 366
EE, *see* Expressed emotion
EEG (electroencephalogram), changes in bilateral ear temperature, affect and, induced by LVF stimulation, 221-225
Efficacy of clozapine in elderly patients, 320-325
Elderly patients, 320-329
  with CBS, social and psychological characteristics of visually handicapped, 325-329
  clozapine in, tolerability, safety, and efficacy of, 320-325
  epidemiology of suicide among Italian (1969-1994), 253-260
Electrically elicited flashbacks, 120
Electroconvulsive therapy (ECT; electro-shock therapy)
  teaching guide for, 327-331
  see also Electroconvulsive therapy, history of
Electroconvulsive therapy (ECT; electro-shock therapy), history of, 173-181, 329, 330
  administration of first ECT in US and in Washington, DC, 175-176
  antipsychiatry movement and, *see* Antipsychiatry movement, ECT and
  dealing with anti-ECT prejudices, 180-181
  early techniques of, 176-177
  emotional reaction of staff to ECT, 177-178
  introduction of (1938), 175
  1930s somatic therapies and, 174-175
  press reactions to, *see* Press reactions to ECT
  U.S. psychiatry before ECT, 173-174
Electrode placement in ECT, 329
Electroencephalogram (EEG), changes in bilateral ear temperature, affect and, induced by LVF stimulation, 221-225
Electro-shock therapy, *see* Electroconvulsive therapy
Emergency room (ER) patients, aggression and substance abuse in, 343-348
Emotion(s)
  role of, in flashbulb memories, 117-118
  see also Affect; Emotional reaction; Expressed emotion
Emotional reaction of staff to ECT, 177-178
Employment status of PSD suicide victims, 103, 105
Encoding failures of memory, dissociative detachment and dissociation of context and, 165
  retrieval failures versus of, 161
Enduring personality change after catastrophic experience (EPCACE), including, as category in ECD-10, 396-403
Epidemiology
  of suicide among the elderly in Italy (1969-1994), 253-260
  see also Incidence; Prevalence *and specific conditions*
EPS (extrapyramidal symptoms) due to antipsychotics, 409

ER (emergency room) patients, aggression and substance abuse in, 343-348
Ethical aspects of ECT, 329, 330
Evolution, flashbulb memories and, 118
Excited thematic confusion syndrome, 9-10
Exclusion criteria for cycloid type psychosis, 15
Expressed emotion (EE)
in families of schizophrenics, validity of FMMS in measuring, 372-376
structural deformations of, as axial syndrome in core schizophrenia, 13
Extent of insight impairment in psychosis, 132-133
Extrapyramidal symptoms (EPS) due to antipsychotics, 409

Factitious disorder, *see* Pseudologia fantastica in factitious disorder
Factor analysis of delusional disorder symptomatology, 143-147
Factor structure
of ABPS, 379-380
in CFQ, 478-479, 483
Families
adolescent inpatients' self-report of maltreatment and witnessed home violence, agreement between clinician reports, medical reports and, 347-352
functioning of, as perceived by AN or BN patients, depressive symptoms and, 434-441
of schizophrenics, validity of FMMS in measuring EE in, 372-376
see also Children
Females
inpatient adolescent, with and without BPD, problem behaviors in, compared, 429-433
see also Women
Fibromyalgia (fibromyositis), sleep quality and pain threshold in, 226-228
First electroconvulsive therapy (ECT) administration in U.S. and in Washington, D.C., 175-176
Five-Minute Speech Sample (FMMS), validity of, in measuring EE in families of schizophrenics, 372-376
Flashbacks, 118-120
accuracy of, 119-120
electrically elicited, 120
original model of, 118-119
in trauma, 119
Flashbulb memories, 115-125
clinical features of, 116-117
flashbacks and, *see* Flashbacks
footnotes to, 122-123
as hallucinations, 118-122
mechanisms of, 117-118
and posttraumatic nightmares, 120
views on, 115-116
FMMS (Five-Minute Speech Sample), validity of, in measuring EE in families of schizophrenics, 372-376
Follow-up
posthospitalization service utilization prediction at 6-month, 195
on psychotic disorder-prone subjects, incidence of depression and, 462-468
Frequency
of DID in general Turkish population, 151-159
Frequency (*Continued*)
of winter binge in BN, bright light therapy effects on, 442-448
Frontal lobe syndrome, hypofrontality versus hyperfrontality in, in OCD, 271
Functional psychopathology, CFQ measure of, 478-484
Functioning, family, perception of, and depressive symptoms in AN or BN patients, 434-441

GAD (generalized anxiety disorder) in children and adolescents, comorbidity and symptomatology of, 210-215
Gender, *see* Sex
General population
panic disorder in, cigarette smoking and, 36
Turkish, frequency of DID, 151-159
Generalized anxiety disorder (GAD) in children and adolescents, comorbidity and symptomatology of, 210-215
Glycosylated hemoglobin A_1 (HbA_1), sex and levels of, in SAD, 234-237
Grade of membership (GoM) analysis of DSM-III-R PD classification, 61-71

Hallucinations
flashbulb memories and, 118-122
see also entries beginning with term: Hallucinatory
Hallucinatory anxiety syndrome, paranoid-, 6-7
Hallucinatory happiness syndrome, paranoid-, 7
Hallucinatory phenomena in flashback memories, 120-122
Happiness, paranoid-hallucinatory happiness syndrome, 7
HbA_1 (hemoglobin A_1), glycosylated, sex and levels of, in SAD, 234-237
Health resources, *see* Service utilization
Heart, as nonlinear dynamic system and, 238
Hemoglobin A_1 (HbA_1), glycosylated, sex and levels of, in SAD, 234-237
History, *see* Antipsychotic drug development, history of; Electroconvulsive therapy, history of; Patient history
HIV (human immunodeficiency virus) infection
at-risk behavior for, in inpatients, 126-130
recurrent major depressive disorders in intravenous drug users positive and/or negative for, 31-34
Home (family) violence, self-reports of abuse and witnessed, by hospitalized adolescents, agreement between clinician reports, medical records and, 347-352
Hospitalization
predicting service utilization after, 192-197
of pseudologia fantastica patients, 91
see also Inpatients *and specific conditions*
Hostility in male patients with BPD and ASD, SUDs and, 278-282
Human immunodeficiency virus, *see* HIV infection
Hyperactivity disorder, residual attention-deficit, in adults, SAD symptoms with, 261-267
Hyperfrontality versus hypofrontality in frontal lobe syndrome in OCD, 271
Hyperkinetic syndrome, simple, 11
Hypochondrial beliefs, alexithymia, psychological distress and, among primary health care attenders, 292-298
Hypofrontality versus hyperfrontality in frontal lobe syndrome in OCD, 271

ICD-10 (International Classification of Diseases-10), including enduring personality change after catastrophic experience as diagnostic category in, 396-403
Identity disorder, dissociative, frequency of, in general Turkish population, 151-159
Impaired insight in psychosis, 131-142
clinical correlates of, 135-136
extent of, 132-133
insight defined, 131
interventions in, 139-140
measurement of, 132
neuropsychological model of, 137
psychological models of, 137-139
stability of level of, 133-135
Impaired memory, *see* Dissociative detachment, memory impairment and
Impulsive behaviors with EDs, 340
Impulsive self-injurious behavior (SIB) in BN, 57-60
Incidence
of depression, proneness to psychotic disorders and, 462-468
see also Prevalence
Income
of depressed compulsive and/or noncompulsive buyers, 53
and social adjustment and self-esteem in remitted depressed patients, 27
Infection, *see* HIV infection
Informational subsystem of CNS, interaction between modulating subsystem and, as basic to coupling of neurons, 238-239
Inhibited thematic confusion syndrome as, 10-11
Inpatients
at-risk behavior for HIV infection in, 126-130
see also Adolescent inpatients; Hospitalization
Insight of schizophrenics
into their illness, relevance of ABPS to, 377-385
see also Impaired insight in psychosis
Insulin shock therapy, introduction of (1933), 174
International Classification of Diseases-10 (ICD-10), including enduring personality change after catastrophic experience as diagnostic category in, 396-403
Interventions
for impaired insight in psychosis, 139-140
see also specific conditions and therapies
Interviews with DID patients, 154-156
clinical, 155-156
structured, 154-155
Intravenous drug users (IVDUs)
HIV-positive and -negative, recurrent major depressive disorders in, 31-34
as inpatients, at-risk behavior for HIV infection of, 128
IQ, and insight in psychosis, 135
Isomorphism with therapeutic strategies used in cardiac arrhythmias, 241
Italian elderly population, epidemiology of suicide among (1969-1994), 253-260
IVDUs, *see* Intravenous drug users

Japanese women
with AN and BN, OCD and, 337-342
young, personality and early life experiences as correlates of problem drinking in, 108-114

Latent structure analysis of DSM-IV criteria for BPD, 72-79
Lateral visual field (LVF), changes in EEG, bilateral ear temperature, and affect induced by stimulation of, 221-225
Legal aspects of ECT, 329, 330
Life experiences, *see* Early life experiences
Lifetime diagnosis of Axis I disorders in male adolescent child molesters, 86
Lifetime prevalence of substance abuse, depression and, 47
Light therapy, effects of bright, on winter binge frequency in BN, 442-448
Lobotomy, introduction of prefrontal (1935), 175
Loneliness of visually handicapped elderly patients with CBS, 317
LVF (lateral visual field), changes in EEG, bilateral ear temperature, and affect induced by stimulation of, 221-225
Lying in pseudologia fantastica
pathological, 90
social and normative, 89-90

Major depression (and depressive disorders), comorbidity with and recurrent major depressive disorders in HIV-positive and -negative IVDUs, 31-34
somatoform disorders as, treatment outcome and, 203-209
SUDs as, in outpatients, order of onset of, 44-50
Males
with ASD, SUDs and hostility in, 278-282
child molestation by adolescent, diagnosis of Axis I disorders in, 85-88
PSD male suicide victims, 101-107
see also Sex
Maltreatment, *see* Abuse
Marital status
of BPD patients with Axis I disorder comorbidity, 247
and comorbidity diagnosis, 185
of inpatients with at-risk behavior for HIV infection, 127
of primary health care attenders, 294
of PSD suicide victims, 103, 105
of residual ADHD patients with SAD symptoms, 264
and social adjustment and self-esteem in remitted depressed patients, 27
of somatoform disorder patients, 205, 300
Mechanisms of action of ECT, 329
theories on, 330
Media coverage of ECT, *see* Press reactions to ECT
Medical history of pseudologia fantastica patients, 91
Medical records, agreement between clinician reports and, and self-reports of abuse and witnessed home violence by hospitalized adolescents, 347-352
Medications, *see* Compliance; Noncompliance *specific drugs and conditions*
Memory(ies)
declarative versus nondeclarative, 160-161
delusional, pseudologia fantastica versus, 92
see also Dissociative detachment, memory impairment and; Flashbulb memories
Men, *see* Males
Mental illness
organic, CFQ measure of, 478-484

Mental illness (*Continued*)
severe, outcome of, with risperidone therapy, health resource utilization and, 198-202
see also Psychopathological comorbidity *and specific conditions*
Metrazol convulsive therapy, introduction of (1934), 174-175
Modulating subsystem of CNS, interaction between informational subsystem and, as basic to coupling of neurons, 238-239
Molestation, child, *see* Abuse
Movements, structural deformations of, as axial syndrome in core schizophrenia, 15
Multidimensional assessment of anger in PTSD Vietnam veterans, 216-220
Multiple personality disorder (dissociative identity disorder), frequency of, in general Turkish population, 151-159
Munchausen's syndrome, diagnostic criteria for factitious disorder versus criteria for, 94

Narrowing of attention versus consciousness alteration in dissociative detachment, 163
Negative consequences of impaired insight in psychosis, 135-136
Negative symptoms of schizophrenia, antipsychotics with selegiline for, 148-150
Neuroleptic(s), *see* Antipsychotic(s)
Neuroleptic malignant syndrome (NMS), 19-23
Neurons, coupling of, interaction of CNS informational and modulating subsystems as basic to, 238-239
Neurophysiological contributions to dissociative detachment, 165-167
Neuropsychiatric features of stuttering measured by content analysis of speech, 308-314
Neuropsychological model of impaired insight in psychosis, 137
Neuroticism, SAD and, 415-417
Nightmares, posttraumatic, flashback memories and, 120
NMS (neuroleptic malignant syndrome), 19-23
Noncompliance
coping with, 391-395
see also Compliance
Nondeclarative memory, declarative versus, 160-161
Nondelusional (nonpsychotic) depression, features of, 358-362
Nonlinear dynamic systems, brain and heart as, 238
Nonpsychotic (nondelusional) depression, features of, 358-362
Normative lying, pseudologia fantastica and, 89-90

Observer's perspective on flashbulb memories, 117
Obsessive-compulsive disorder (OCD), comorbidity with
eating disorders as, in Japanese women, 337-342
tobacco smoking as, 268-272
Occupational status
of inpatients with at-risk behavior for HIV infection, 127
of primary health care attenders, 294
of PSD suicide victims, 103, 105
of pseudologia fantastica patients, 91
and social adjustment and self-esteem in remitted depressed patients, 27
OCD, *see* Obsessive-compulsive disorder, comorbidity with
1-year outcome of panic disorder, predictors of, 39-43
Onomania (compulsive buying), depression with or without, 51-56
Onset of illness, *see* Order of onset of comorbid conditions with SUDs
Order of onset of comorbid conditions with SUDs
SUDs and depression in outpatients, 44-50
SUDs and eating disorders, 332-336
Organic mental disorders, CFQ measure of, 478-484
Outcome
1-year, of panic disorder, predictors of, 39-43
of posthospitalization service utilization, prediction of, 194-195
see also Outcome, therapy *and specific conditions*
Outcome, therapy
of severe mental illness with risperidone therapy, 198-202
of somatoform disorders, effects of comorbid anxiety, PDs, and/or major depression on, 203-209
see also Follow-up
Outline of ECT seminar, 330
Outpatients
using BZDs, validity, scalability, and reliability of Benzodiazepine Dependence Self-Report Questionnaire in, 283-291
see also Outpatients, comorbidity in; Outpatients, depression in
Outpatients, comorbidity in
BPD with axis I disorder comorbidity, 245-252
see also Outpatients, comorbidity with SUDs in
Outpatients, comorbidity with SUDs in
and depression, order of onset of, 44-50
OCD with tobacco smoking, 268-272
Outpatients, depression in
atypical depression in private practice, 80-83
order of onset of SUDs and depression, 44-50
Overall outcome of panic disorder, 42

P300 abnormalities in young schizophrenics, 363-371
Pain disorder, DSM-IV criteria of, 353-357
Pain hallucinations, body memories and, 121-122
Pain threshold, 226-233
in BN during bulimic episode, 229-233
in fibromyalgia, sleep quality and, 226-228
Panic attacks, types of, and their association with psychiatric disorders and physical illness, 479-477
Panic disorder, 35-43
1-year outcome of, predictors of, 39-43
and tobacco smoking, 35-38
Paranoid-hallucinatory anxiety syndrome, 7
Paranoid-hallucinatory happiness syndrome, 8
Parkinson's disease, *see* Chaos theories, and therapeutic commonalities among depression, Parkinson's disease, and cardiac arrhythmias
Pathological lying in pseudologia fantastica, 90
Patient education
for dissociative detachment, 168
for impaired insight in psychosis, 139-140
Patient history
of abuse, *see* Abuse
of childhood conduct disorder, and risk factor for violence, 96-100
and pseudologia fantastica, 90-91
see also Early life experiences; Families
Patient selection for ECT, 329, 330

PDs, *see* Personality disorders
Perception of family functioning, depressive symptoms and, in AN or BN, 434-441
Personality
of agoraphobic patients, and computer-administered vicarious exposure, 386-390
early life experiences and, as correlates of problem drinking in young Japanese women, 108-114
including enduring personality change after catastrophic experience as diagnostic category in ECD-10, 396-403
see also Personality disorders
Personality disorders (PDs)
comorbidity, *see* Personality disorders, comorbidity with
DSM-III-R classification of, grade of membership analysis of, 61-71
see also specific personality disorders
Personality disorders (PDs), comorbidity with
eating disorders as, 335
EDs as, 340
effects of, on treatment outcome of somatoform disorders, 203-209
with pseudologia fantastica, 93
Personality traits in CFQ, 479-480
Phenomenology
of flashbulb memories, 116
see also Cycloid schizophrenia, phenomenological approach to differentiating between core and
Physical abuse, *see* Abuse
Physical illness, types of panic attacks and their association with psychopathology and, 479-477
Polydrug dependence, order of onset of depression and drug dependence in, 47
Positive consequences of impaired insight in psychosis, 136
Post-electroconvulsive therapy (ECT) course management, 329, 330
Posthospitalization course, and service utilization, 193-194
Posttraumatic nightmares, flashback memories and, 120
Posttraumatic stress disorder (PTSD), multidimensional assessment of anger in Vietnam veterans with, 216-220
Practicing psychiatry, ECT experience in, 180
Prediction
of 1-year outcome of panic disorder, 39-43
of service utilization after hospitalization, 192-197
Prefrontal lobotomy (psychosurgery), introduction of (1935), 175
Prejudices, anti-ECT, overcoming, 180-181
Premorbid risk factors for violence, 96-100
Press reactions to ECT, 176-179
early, 176-177
in recent years, 178-179
Prevalence
of adolescent maltreatment, 350
of tobacco smoking with OCD, 268-272
see also specific conditions
Primary health care attenders, alexithymia, hypochondrial beliefs, and psychological distress among, 292-298
Primary health care setting, follow-up on psychotic disorder-prone patients in, 462-468
Private practice outpatients, atypical depression in, 80-83
Problem behaviors and disorders
in adolescent female inpatients with and without BPD, compared, 429-433
childhood, as premorbid risk factor for violence, 96-100
see also specific problem behaviors
Problem drinking, *see* Alcohol use
Proneness
to accidents, CFQ measure of, 480
to psychotic disorders, and incidence of depression, 462-468
PSD (psychoactive substance-dependent) patients, *see* Antipsychotic(s)
Pseudologia fantastica in factitious disorder, 89-95
case report on, 90-92
descriptive issues in, 89
diagnosis of, 89, 94
discussion on, 92-94
lying in, *see* Lying in pseudologia fantastica
Psychiatric history of pseudologia fantastica patients, 90-91
Psychiatry, practicing, experience of ECT in, 180
Psychoactive substances, *see* Antipsychotic(s); Substance use disorders
Psychological basis of pseudologia fantastica, 92-93
Psychological characteristics of visually handicapped elderly patients with CBS, 325-329
Psychological distress, hypochondrial beliefs, alexithymia and, among primary health care attenders, 292-298
Psychological models of impaired insight in psychosis, 137-139
Psychological trauma, *see* Trauma
Psychopathological comorbidity
diagnosis of, 182-191
with DSM-IV pain disorder, 355
SAD symptoms with residual ADHD, 261-267
see also Anorexia nervosa, comorbidity with; Anxiety and anxiety disorders, comorbidity with; Axis I disorders, comorbidity with; Axis II disorders, comorbidity with; Axis III disorders, comorbidity with; Bulimia nervosa, comorbidity with; Depression, comorbid conditions with; Obsessive-compulsive disorder, comorbidity with; Personality disorders, comorbidity with; Somatoform disorders, comorbidity with; Substance use disorders, comorbidity with
Psychopathology
functional, CFQ measure of, 478-484; *see also specific conditions*
types of panic attacks and their association with physical illness and, 479-477
see also Mental illness *and entries beginning with term:* Psychopathological
Psychosis and psychotic disorders
acute episode of, insight fluctuation in, 133
see also Impaired insight in psychosis; Psychosis and psychotic disorders, depression and *and specific disorders*
Psychosis and psychotic disorders, depression and
acute psychosis, dimensions of depression in, 449-457
proneness to, and incidence of depression, 462-468
Psychosurgery (prefrontal lobotomy), introduction of (1935), 175
Psychotherapy of dissociative detachment, 168-169
Psychotic (delusional) depression, features of, 358-362
PTSD (posttraumatic stress disorder), multidimensional assessment of anger in Vietnam veterans with, 216-220

Race and ethnicity
of abused adolescents, 350, 423
of BPD patients with Axis I disorder comorbidity, 247
and comorbidity diagnosis, 185
epidemiology of suicide among Italian elderly population (1969-1994), 253-260
frequency of DID in general Turkish population, 151-159
see also Japanese women
Rape, compulsive weight lifting and anabolic drug use by victims of, 273-277
Recurrent major depressive disorders in HIV-positive and HIV-negative IVDUs, 31-34
Reliability
of ABPS, 380
of Benzodiazepine Dependence Self-Report Questionnaire in outpatient BZD users, 283-291
Remission from unipolar and bipolar affective disorder, self-esteem and social adjustment and, 24-30
Repetitive images, *see* Flashbulb memories
Residual attention-deficit hyperactivity disorder (ADHD) in adults, SAD symptoms with, 261-267
Retrieval failures of memory, encoding failures versus of, 161
Reversible dissociative amnesia (DA), dissociative detachment and, 161-162; *see also* Dissociative detachment, memory impairment and
Risk and risk factors
at-risk behavior for HIV infection in inpatients, 126-130
of ECT, 329, 330
premorbid, for violence, 96-100
for suicide by abused adolescent inpatients, 422-428
Risperidone
effects of, on stuttering severity, 308-314
severe mental illness outcome with, 198-202

SAD, *see* Seasonal affective disorder
Safety of clozapine for elderly patients, 320-325
Scalability of Benzodiazepine Dependence Self-Report Questionnaire in outpatient BZD users, 283-291
Schizophrenia
symptoms of, *see* Symptoms of schizophrenia
validity of FMMS in measuring EE in families of schizophrenics, 372-376
see also Cycloid schizophrenia, phenomenological approach to differentiating between core and; Insight of schizophrenics; Symptoms of schizophrenia
Seasonal affective disorder (SAD)
neuroticism and, 415-417
sex and glycosylated HbA_1 in, 234-237
symptoms of, with residual ADHD, in adults, 261-267
Selegiline, antipsychotics with, for negative symptoms of schizophrenia, 148-150
Self-esteem
and awareness of being a patient, 384
social adjustment and, in remitted unipolar and bipolar depressive patients, 24-30
Self-injurious behavior (SIB)
in BN, 57-60
see also Suicide; Suicide attempts
Self-reports of abuse and witnessed home violence by hospitalized adolescents, agreement between clinician reports, medical records and, 347-352
Sequence of illness, *see* Order of onset of comorbid conditions with SUDs
Service utilization, 192-202
and outcome of severe mental illness with risperidone therapy, 198-202
posthospitalization, prediction of, 192-197
Severe mental illness, outcome of, with risperidone therapy, health resource utilization and, 198-202
Severity
of schizophrenia, severity of symptoms as correlates of, 458-461
of stuttering, risperidone effects on, 308-314
Sex
of abused adolescents, 350, 423
of AN and BN patients, depressive symptoms and, 435
of BPD patients with axis I disorder comorbidity, 247
and comorbidity diagnosis, 185
of depressed patients, *see* Sex of depressed patients
of DID patients, 156
of elderly patients, clozapine tolerability and, 323
of GAD patients, 212
of inpatients with at-risk behavior for HIV infection, 127
of NMS patients, 20, 21
of panic disorder patients, 40, 41
of PD patients, 63
and premorbid risk factors for violence, 98
of primary health care attenders, 294, 295
of SAD patients, *see* Sex of SAD patients
of schizophrenic patients, 373, 379
of somatoform disorder patients, 205, 300
see also Females; Males; Women
Sex of depressed patients
with atypical depression, 81
of depressed compulsive and/or noncompulsive buyers, 53
with unipolar and bipolar depression, 25, 26, 429
Sex of SAD patients, 416
and glycosylated HbA_1 levels in SAD, 234-237
of residual ADHD patients with SAD symptoms, 263, 264
Sexual abuse, *see* Abuse
Shock therapy, insulin, introduction of (1933), 174
SIB, *see* Self-injurious behavior
Side effects
of clozapine, 323
of ECT, 330
Simple akinetic syndrome, 12
Simple hyperkinetic syndrome, 11
Sleep quality, and pain threshold in fibromyalgia, 226-228
Smoking, *see* Tobacco smoking, comorbidity with
Social adjustment, self-esteem and, in remitted unipolar and bipolar depressive patients, 24-30
Social characteristics
of visually handicapped elderly patients with CBS, 325-329
see also Educational status; Employment status; Income; Occupational status
Social lying, pseudologia fantastica and, 89-90
Somatic therapies
1930s, 174-175
see also Bright light therapy; Electroconvulsive therapy
Somatoform disorders, comorbidity with
DSM-III-R disorders with, 299-307

Somatoform disorders, comorbidity with (*Continued*)
effects of comorbid major depression, anxiety, and/or PDs on outcome of treatment for, 203-209
Somatoform symptoms of DSM-IV pain disorder, 355
Speech
of stutterers, neuropsychiatric features of stuttering measured by content analysis of, 308-314
validity of FMMS in measuring EE in families of schizophrenics, 372-376
Stability of insight level in psychosis, 133-135
Staff reaction, emotional, to ECT, 177-178
Stages of memory, dissociative detachment and, 160-161
Stress
memory impairment related to, neurobiological contributions to, 165-166
multidimensional assessment of anger in Vietnam veterans with PTSD, 216-220
vulnerability to, CFQ measure of, 479
Structural deformations in core schizophrenia
of affect and emotional expression, 13
of movements, 15
of thought, 13-15
Structure analysis, latent, of DSM-IV criteria for BPD, 72-79
Structured interviews with DID patients, 154-155
Stuttering, neuropsychiatric features of, measured by content analysis of speech, 308-314
Substance use disorders (SUDs)
with BZDs, validity, scalability, and reliability of Benzodiazepine Dependence Self-Report Questionnaire in, 283-291
intravenous, *see* Intravenous drug users
as premorbid risk factor for violence, 96-100
by psychoactive-substance dependent male and female suicide victims, 104, 105
see also Alcohol use; Substance use disorders, comorbidity with
Substance use disorders (SUDs), comorbidity with, 273-282
aggression with, in ER patients, 343-348
compulsive weight lifting and anabolic drug use among women rape victims, 273-277
in HIV-positive and -negative IVDUs, recurrent major depressive disorders as, 31-34
in male patients with BPD and ASD, hostility and, 278-282
see also Order of onset of comorbid conditions with SUDs; Outpatients, comorbidity with SUDs in; Tobacco smoking, comorbidity with
SUDs, *see* Substance use disorders
Suicide
among the elderly, epidemiology of (1969-1994), 253-260
PSD male and female victims of, compared, 101-107
risk of, in adolescent inpatients with history of child abuse, 422-428
see also Suicide attempts
Suicide attempts
by abused adolescents, 350
by bulimic patients, 58
Symptoms
of delusional disorder, factor analysis of, 143-147
depressive, perception of family functioning and, in AN or BN, 434-441
DID, 154
Symptoms (*Continued*)
EPS, antipsychotic drugs and, 409
of GAD in children and adolescents, 210-215
OCD, in EDs, 339
of SAD with residual ADHD, in adults, 261-267
somatoform, of DSM-IV pain disorder, 355
see also Symptoms of schizophrenia
Symptoms of schizophrenia
basic, and P300 abnormalities in young patients, 363-371
negative, antipsychotics with selegiline for, 148-150
severity of, as correlates of severity of schizophrenia, 458-461

Teaching guide, ECT, 327-331
Technical aspects of ECT, 329, 330
Temperature, bilateral ear, changes in EEG, affect and, induced by LVF stimulation, 221-225
Thematic confusion syndrome, 9-11
excited, 9-10
inhibited, 10-11
Theories on action of ECT, 330
Therapy, *see* Antipsychotic(s); Bright light therapy; Chaos theories, and therapeutic commonalities among depression, Parkinson's disease, and cardiac arrhythmias; Bright light therapy; Compliance; Electroconvulsive therapy; Hospitalization; Interventions; Outcome, therapy; Psychotherapy *specific conditions and therapeutic modalities*
Thought, structural deformations of, as axial syndrome in core schizophrenia, 13-15
Time, insight fluctuation over, 133-135
Tobacco smoking, comorbidity with
OCD, 268-272
panic disorder, 35-38
Tolerability
of clozapine by elderly patients, 320-325
of risperidone, 200, 201
Training in ECT, 328
Trauma
flashbacks and, 119
including enduring personality change after catastrophic experience as category in ICD-10, 396-403
see also entries beginning with terms: Posttraumatic
Treatment, *see* Antipsychotic(s); Bright light therapy; Chaos theories, and therapeutic commonalities among depression, Parkinson's disease, and cardiac arrhythmias; Compliance; Electroconvulsive therapy; Hospitalization; Interventions; Outcome, therapy; Psychotherapy *and specific conditions*
Turkish population, general, frequency of DID, 151-159

Unilateral electroconvulsive therapy (ECT), bilateral versus, 330
Unipolar depression
chronic, bipolar II depression versus, 418-421
social adjustment and self-esteem in remitted patients with bipolar and, 24-30
United States (US)
antipsychotic drugs unavailable in, 411
pre-ECT psychiatry in, 173-174
Utilization of services, *see* Service utilization

Validity
of Benzodiazepine Dependence Self-Report Questionnaire in outpatient BZD users, 283-291
concurrent, of ABPS, 380-381
cross-cultural CFQ, 480
of FMMS in measuring EE in families of schizophrenics, 372-376
Veterans of Vietnam War with PTSD, multidimensional assessment of anger in, 216-220
Vicarious exposure, computer-administered, in agoraphobic patients behavior analysis of, 386-390
Vietnam veterans with PTSD, multidimensional assessment of anger in, 216-220
Violence
premorbid risk factors for, 96-100
see also Abuse; Aggression; Anger; Antisocial personality disorder; Hostility; Rape; Self-injurious behavior
Visual field, lateral, changes in EEG, bilateral ear temperature, and affect induced by stimulation of, 221-225
Visually handicapped elderly patients with CBS, social and psychological characteristics of, 325-329
Vulnerability to stress, CFQ measures of, 479

Washington (DC), first ECT administration in, 175-176
Weight lifting, compulsive anabolic drug use and, among women rape victims, 273-277
Winter binge, frequency of, in BN, bright light therapy effects on, 442-448
Witnessed home violence, self-reports of abuse and, by hospitalized adolescents, agreement between clinician reports, medical records and, 347-352
Women, 101-114
Japanese, *see* Japanese women
PSD, as suicide victims, male victims compared with, 101-107
raped, compulsive weight lifting and anabolic drug use by, 273-277
see also Sex

Young schizophrenics, basic symptoms and P300 abnormalities in, 363-371
Young women, Japanese, with problem drinking, personality, early life experiences and, 108-114